

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. — This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND	CERTIFICATE HOLDER DETAILS

Company Name | Foshan Eaglerise Power Science & Technology | Oth

Other Name

(Shunde) Co.,Ltd

Address No 4 East Huanzhen Road, Beijiao Shunde, Foshan Guangdong 528000 China

Client ID 107687

Global-Mark File Number: 107687-031

System 1 Approval

Certificate Number & Approval Mark GMA-513149-EA

Certification Standard(s) AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For

D.C Or A.C Supplied Electronic Control Gear For Led Modules.

Type of Certification Electrical Safety Product Scheme Global-Mark Electrical Product Safety Certification Scheme

CERTIFICATE DATES

Certificate Issue Date 1/08/2022

Certificate Last Update Date

Certification Expiry Date 1/08/2027

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Here Hohas



Revision Number 00





CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-38-900 LD1	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.29A max., λ:0.93C; Output: 24-42Vdc, 50Vdc max. 750mA/800mA/850mA/900mA 31.5W/33.6W/35.7W/37.8W Ta:50°C Tc:80°C, Class II,
Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-38-900 LD ECO	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.29A max., λ:0.93C; Output: 24-42Vdc, 50Vdc max. 750mA/800mA/850mA/900mA 31.5W/33.6W/35.7W/37.8W Ta:50°C Tc:80°C, Class II,
Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-42-1050 LD1	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.35A max., λ: 0.95; Output: 24-40Vdc, 50Vdc max. 900mA/950mA/1000mA/1050mA 36W/38W/40W/42W Ta:50°C Tc:85°C, Class II,
Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-42-1050 LD ECO	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.35A max., λ: 0.95; Output: 24-40Vdc, 50Vdc max. 900mA/950mA/1000mA/1050mA 36W/38W/40W/42W Ta:50°C Tc:85°C, Class II,
Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-30-700 LD1	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.22A max., λ:0.65C-0.96; Output: 24-42Vdc, 50Vdc max. 450mA/500mA/550mA/600mA/650mA/700mA 18.9W/21W/23.1W/25.2W/27.3W/29.4W Ta:50°C Tc:80°C, Class II,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager









Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-30-700 LD ECO	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.22A max., λ:0.65C-0.96; Output: 24-42Vdc, 50Vdc max. 450mA/500mA/550mA/600mA/650mA/700mA 18.9W/21W/23.1W/25.2W/27.3W/29.4W Ta:50°C Tc:80°C, Class II,
Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-24-550 LD1	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.18A max., λ:0.68C-0.95; Output: 24-42Vdc, 50Vdc max. 300mA/350mA/400mA/450mA/550mA 12.6W/14.7W/16.8W/18.9W/21W/23.1W Ta:50°C Tc:80°C, Class II,
Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-24-550 LD ECO	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.18A max., λ:0.68C-0.95; Output: 24-42Vdc, 50Vdc max. 300mA/350mA/400mA/450mA/500mA/550mA 12.6W/14.7W/16.8W/18.9W/21W/23.1W Ta:50°C Tc:80°C, Class II,
Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-30-700 DALI-2 LD2	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.25A max., λ :0.65C-0.96; Output: 24-42Vdc, 59Vdc max. 150mA/200mA/250mA/300mA/350mA/400mA/450mA/500mA/550mA/600mA/650mA/700mA 6.3W/8.4W/10.5W/12.6W/14.7W/16.8W/18.9W/21W/23.1W/25.2W/27.3W/29.4W Ta:50°C Tc:80°C, Class II,
Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-30-700 DALI-2 LD ECO	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.25A max., λ :0.65C-0.96; Output: 24-42Vdc, 59Vdc max. 150mA/200mA/250mA/300mA/350mA/400mA/450mA/500mA/550mA/600mA/650mA/700mA 6.3W/8.4W/10.5W/12.6W/14.7W/16.8W/18.9W/21W/23.1W/25.2W/27.3W/29.4W Ta:50°C Tc:80°C, Class II,
Power Supply or Charger	LED Power Supply	EAGLERISE	FLS-44-1050 DALI-2 LD2	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.35A max., λ:0.95; Output: 24-42Vdc, 59Vdc max. 700mA/750mA/800mA/850mA/900mA/950mA/1000mA/1050mA 29.4W/31.5W/33.6W/35.7W/37.8W/39.9W/42W/44.1W Ta:50°C Tc:90°C, Class II,

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager









Power Supply or	LED Power Supply	EAGLERISE	FLS-44-1050 DALI-2	Input: 220-240 V~ or 198-264 Vdc, 0/50/60 Hz, 0.35A max., λ:0.95;
Charger			LD ECO	Output: 24-42Vdc, 59Vdc max.
			y'	700mA/750mA/800mA/850mA/900mA/950mA/1000mA/1050mA
			V	29.4W/31.5W/33.6W/35.7W/37.8W/39.9W/42W/44.1W
				Ta:50°C Tc:90°C, Class II,

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as do not cover

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





