



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2023011002591392

NAME AND ADDRESS OF THE APPLICANT

Eaglerise Electric & Electronic (China) Co., Ltd.
No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong
Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Eaglerise Electric & Electronic (China) Co., Ltd.
No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong
Province, P.R.China

NAME AND LOCATION OF THE FACTORY

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

PRODUCT NAME,MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear for LED Modules (LED Controlgear, Independent, Constant
Current Mode, SELV, Non-dimmable, ta:45°C, tc:80°C, Class II, IP20, Suitable for Direct Mounting
on Normally Flammable Material Surfaces, Temperature Declared Thermally Protected: 110°C)

See Appendix; 220-240V ~ 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB/T 19510.1-2023;GB/T 19510.213-2023

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: May.28,2025

Valid until: Feb.26,2028

Date of original issued: Nov.30,2023

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002591392

Appendix: Page 1 of 3

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

序号	型号规格	输出参数			
		输出电流 (mA)	输出电压 (Vdc)	最大输出 电压(Vdc)	最大输出 功率(W)
1	LS-40-600 LI ADV	600	30-40	59	24
2	LS-40-650 LI ADV	650	30-40	59	26
3	LS-40-700 LI ADV	700	30-40	59	28
4	LS-40-750 LI ADV	750	30-40	59	30
5	LS-40-800 LI ADV	800	30-40	59	32
6	LS-40-850 LI ADV	850	30-40	59	34
7	LS-40-900 LI ADV	900	30-40	59	36
8	LS-40-950 LI ADV	950	30-40	59	38
9	LS-40-1000 LI ADV	1000	30-40	59	40
10	LS-40-1050 LI ADV	1050	30-38.5	59	40.4
11	LS-40-600 LI1 EXC	600	9-42	59	25.2
12	LS-40-650 LI1 EXC	650	9-42	59	27.3
13	LS-40-700 LI1 EXC	700	9-42	59	29.4
14	LS-40-750 LI1 EXC	750	9-42	59	31.5
15	LS-40-800 LI1 EXC	800	9-42	59	33.6
16	LS-40-850 LI1 EXC	850	9-42	59	35.7
17	LS-40-900 LI1 EXC	900	9-42	59	37.8
18	LS-40-950 LI1 EXC	950	9-42	59	39.9
19	LS-40-1000 LI1 EXC	1000	9-40	59	40
20	LS-40-1050 LI1 EXC	1050	9-38.5	59	40.4
21	LS-40-600 LI1-G EXC	600	9-42	59	25.2
22	LS-40-650 LI1-G EXC	650	9-42	59	27.3
23	LS-40-700 LI1-G EXC	700	9-42	59	29.4

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002591392

Appendix : Page 2 of 3

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

24	LS-40-750 LI1-G EXC	750	9-42	59	31.5
25	LS-40-800 LI1-G EXC	800	9-42	59	33.6
26	LS-40-850 LI1-G EXC	850	9-42	59	35.7
27	LS-40-900 LI1-G EXC	900	9-42	59	37.8
28	LS-40-950 LI1-G EXC	950	9-42	59	39.9
29	LS-40-1000 LI1-G EXC	1000	9-40	59	40
30	LS-40-1050 LI1-G EXC	1050	9-38.5	59	40.4
31	LS-40-600 LI EXC S	600	24-42	59	25.2
32	LS-40-650 LI EXC S	650	24-42	59	27.3
33	LS-40-700 LI EXC S	700	24-42	59	29.4
34	LS-40-750 LI EXC S	750	24-42	59	31.5
35	LS-40-800 LI EXC S	800	24-42	59	33.6
36	LS-40-850 LI EXC S	850	24-42	59	35.7
37	LS-40-900 LI EXC S	900	24-42	59	37.8
38	LS-40-950 LI EXC S	950	24-42	59	39.9
39	LS-40-1000 LI EXC S	1000	24-40	59	40
40	LS-40-1050 LI EXC S	1050	24-38.5	59	40.4
41	LS-40-600 LI1 EXC S	600	27-42	59	25.2
42	LS-40-650 LI1 EXC S	650	27-42	59	27.3
43	LS-40-700 LI1 EXC S	700	27-42	59	29.4
44	LS-40-750 LI1 EXC S	750	27-42	59	31.5
45	LS-40-800 LI1 EXC S	800	27-42	59	33.6
46	LS-40-850 LI1 EXC S	850	27-42	59	35.7
47	LS-40-900 LI1 EXC S	900	27-42	59	37.8
48	LS-40-950 LI1 EXC S	950	27-42	59	39.9
49	LS-40-1000 LI1 EXC S	1000	27-40	59	40

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION


本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2023011002591392

Appendix: Page 3 of 3

50	LS-40-1050 LI1 EXC S	1050	27-38	59	39.9
----	----------------------	------	-------	----	------

以上输入均为：220-240V~ 50/60Hz



This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.