

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Foshan Eaglerise Power Science & Technology (Shunde) Co.,Ltd.	Other Name	
Address	No 4 East Huanzhen Road, Beijiao Shunde, Foshan Guangdong 528000 China		
Client ID	107687	Global-Mark File Number:	107687-050
Certificate Number & Approval Mark	GMA-517479-EA	Revision Number	00
Certification Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme
			System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	21/12/2023
Certificate Last Update Date	
Certification Expiry Date	21/12/2028

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-600 LI ADV	220-240 V ac 50/60 Hz,0.17Amax., output:30-40 Vdc,59 Vdc max.,600mA,24W max., ta:45°C,tc:80°C, "Do not cover"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-650 LI ADV	220-240 V ac 50/60 Hz,0.19Amax., output:30-40 Vdc,59 Vdc max.,650mA,26W max., ta:45°C,tc:80°C, "Do not cover"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-700 LI ADV	220-240 V ac 50/60 Hz,0.2Amax., output:30-40 Vdc,59 Vdc max.,700mA,28W max., ta:45°C,tc:80°C, "Do not cover"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-750 LI ADV	220-240 V ac 50/60 Hz,0.22Amax., output:30-40 Vdc,59 Vdc max.,750mA,30W max., ta:45°C,tc:80°C, "Do not cover"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-800 LI ADV	220-240 V ac 50/60 Hz,0.23Amax., output:30-40 Vdc,59 Vdc max.,800mA,32W max., ta:45°C,tc:80°C, "Do not cover"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-850 LI ADV	220-240 V ac 50/60 Hz,0.25Amax., output:30-40 Vdc,59 Vdc max.,850mA,34W max., ta:45°C,tc:80°C, "Do not cover"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-900 LI ADV	220-240 V ac 50/60 Hz,0.26Amax., output:30-40 Vdc,59 Vdc max.,900mA,36W max., ta:45°C,tc:80°C, "Do not cover"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-950 LI ADV	220-240 V ac 50/60 Hz,0.27Amax., output:30-40 Vdc,59 Vdc max.,950mA,38W max., ta:45°C,tc:80°C, "Do not cover"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-1000 LI ADV	220-240 V ac 50/60 Hz,0.27Amax., output:30-40 Vdc,59 Vdc max.,1000mA,40W max., ta:45°C,tc:80°C, "Do not cover"

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-1050 LI ADV	220-240 V ac 50/60 Hz,0.29Amax., output:30-38.5 Vdc,59 Vdc max.,1050mA,40.4W max., ta:45°C,tc:80°C, "Do not cover"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-600 LI1 EXC	220-240 V ac 50/60 Hz,0.16Amax., output:9-42 Vdc,59 Vdc max.,600mA,25.2W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-650 LI1 EXC	220-240 V ac 50/60 Hz,0.18Amax., output:9-42 Vdc,59 Vdc max.,650mA,27.3W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-700 LI1 EXC	220-240 V ac 50/60 Hz,0.19Amax., output:9-42 Vdc,59 Vdc max.,700mA,29.4W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-750 LI1 EXC	220-240 V ac 50/60 Hz,0.2Amax., output:9-42 Vdc,59 Vdc max.,750mA,31.5W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-800 LI1 EXC	220-240 V ac 50/60 Hz,0.22Amax., output:9-42 Vdc,59 Vdc max.,800mA,33.6W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-850 LI1 EXC	220-240 V ac 50/60 Hz,0.23Amax., output:9-42 Vdc,59 Vdc max.,850mA,35.7W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-900 LI1 EXC	220-240 V ac 50/60 Hz,0.24Amax., output:9-42 Vdc,59 Vdc max.,900mA,37.8W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-950 LI1 EXC	220-240 V ac 50/60 Hz,0.25Amax., output:9-42 Vdc,59 Vdc max.,950mA,39.9W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-1000 LI1 EXC	220-240 V ac 50/60 Hz,0.25Amax., output:9-40 Vdc,59 Vdc max.,1000mA,40W max., ta:45°C,tc:80°C, "Non IC"

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-1050 LI1 EXC	220-240 V ac 50/60 Hz,0.27Amax., output:9-38.5 Vdc,59 Vdc max.,1050mA,40.4W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-600 LI1-G EXC	220-240 V ac 50/60 Hz,0.16Amax., output:9-42 Vdc,59 Vdc max.,600mA,25.2W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-650 LI1-G EXC	220-240 V ac 50/60 Hz,0.18Amax., output:9-42 Vdc,59 Vdc max.,650mA,27.3W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-700 LI1-G EXC	220-240 V ac 50/60 Hz,0.19Amax., output:9-42 Vdc,59 Vdc max.,700mA,29.4W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-750 LI1-G EXC	220-240 V ac 50/60 Hz,0.2Amax., output:9-42 Vdc,59 Vdc max.,750mA,31.5W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-800 LI1-G EXC	220-240 V ac 50/60 Hz,0.22Amax., output:9-42 Vdc,59 Vdc max.,800mA,33.6W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-850 LI1-G EXC	220-240 V ac 50/60 Hz,0.23Amax., output:9-42 Vdc,59 Vdc max.,850mA,35.7W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-900 LI1-G EXC	220-240 V ac 50/60 Hz,0.24Amax., output:9-42 Vdc,59 Vdc max.,900mA,37.8W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-950 LI1-G EXC	220-240 V ac 50/60 Hz,0.25Amax., output:9-42 Vdc,59 Vdc max.,950mA,39.9W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-1000 LI1-G EXC	220-240 V ac 50/60 Hz,0.25Amax., output:9-40 Vdc,59 Vdc max.,1000mA,40W max., ta:45°C,tc:80°C, "Non IC"

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-1050 LI1-G EXC	220-240 V ac 50/60 Hz,0.27Amax., output:9-38.5 Vdc,59 Vdc max.,1050mA,40.4W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-600 LI EXC S	220-240 V ac 50/60 Hz,0.17Amax., output:24-42 Vdc,59 Vdc max.,600mA,25.2W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-650 LI EXC S	220-240 V ac 50/60 Hz,0.19Amax., output:24-42 Vdc,59 Vdc max.,650mA,27.3W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-700 LI EXC S	220-240 V ac 50/60 Hz,0.2Amax., output:24-42 Vdc,59 Vdc max.,700mA,29.4W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-750 LI EXC S	220-240 V ac 50/60 Hz,0.22Amax., output:24-42 Vdc,59 Vdc max.,750mA,31.5W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-800 LI EXC S	220-240 V ac 50/60 Hz,0.23Amax., output:24-42 Vdc,59 Vdc max.,800mA,33.6W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-850 LI EXC S	220-240 V ac 50/60 Hz,0.25Amax., output:24-42 Vdc,59 Vdc max.,850mA,35.7W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-900 LI EXC S	220-240 V ac 50/60 Hz,0.26Amax., output:24-42 Vdc,59 Vdc max.,900mA,37.8W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-950 LI EXC S	220-240 V ac 50/60 Hz,0.27Amax., output:24-42 Vdc,59 Vdc max.,950mA,39.9W max., ta:45°C,tc:80°C, "Non IC"
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-1000 LI EXC S	220-240 V ac 50/60 Hz,0.27Amax., output:24-42 Vdc,59 Vdc max.,1000mA,40W max., ta:45°C,tc:80°C, "Non IC"

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager





global-mark®


Certificate of Conformity

Power Supply or Charger	LED Power Supply	EAGLERISE	LS-40-1050 LI EXC S	220-240 V ac 50/60 Hz,0.29Amax., output:24-38.5 Vdc,59 Vdc max.,1050mA,40.4W max., ta:45°C,tc:80°C, "Non IC"
-------------------------	------------------	-----------	---------------------	--------------------------------------------------------------------------------------------------------------------

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Power supply for lighting purposes for use with class III LED lighting

End of document



This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



JAS-ANZ

