

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

| | | | |
|------------------------------------|---|--------------------------|---|
| Company Name | Eaglerise Electric & Electronic (Ji An) Co., Ltd | Other Name | |
| Address | West Zone, Ji an County Industrial Park, Ji an County, Jiangxi - China | | |
| Client ID | 110223 | Global-Mark File Number: | 110223-005 |
| Certificate Number & Approval Mark | GMA-522755-EA | Revision Number | 00 |
| Certification Standard(s) | AS 61347.2.13:2018 & AS/NZS 61347.1:2016 Amd 1: 2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules & Lamp controlgear Part 1: General and safety requirements | | |
| Type of Certification | Electrical Safety Product | Scheme | Global-Mark Electrical Product Safety Certification Scheme |

CERTIFICATE DATES

| | |
|------------------------------|-------------------|
| Certificate Issue Date | 29/04/2025 |
| Certificate Last Update Date | |
| Certification Expiry Date | 29/04/2030 |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 1 of 4

Certificate of Conformity

| CERTIFIED ELECTRICAL EQUIPMENT | | | | |
|--------------------------------|---------------------|------------|-------------------|--|
| Declared Article | Product Description | Trade Name | Model Number | Rating |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-8-70 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.025A Max. Output: 27-42Vdc, 70mA, 3W, 59Vdc Max. Ta:45°C Tc:75°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-8-120 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.038A Max. Output: 27-42Vdc, 120mA, 5W, 59Vdc Max. Ta:45°C Tc:75°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-8-150 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.046A Max. Output: 27-42Vdc, 150mA, 6.3W, 59Vdc Max. Ta:45°C Tc:75°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-8-160 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.048A Max. Output: 27-42Vdc, 160mA, 6.7W, 59Vdc Max. Ta:45°C Tc:75°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-8-180 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.053A Max. Output: 27-42Vdc, 180mA, 7.6W, 59Vdc Max. Ta:45°C Tc:75°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-8-200 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.058A Max. Output: 27-40Vdc, 200A, 8W, 59Vdc Max. Ta:45°C Tc:75°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-8-220 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.06A Max. Output: 27-40Vdc, 220A, 8.8W, 59Vdc Max. Ta:45°C Tc:75°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-12-250 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.07A Max. Output: 27-42Vdc, 250mA, 10.5W, 59Vdc Max. Ta:45°C Tc:75°C, IP20, Class II, Do Not Cover |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 2 of 4

Certificate of Conformity

| | | | | |
|-------------------------|------------------|-----------|-------------------|---|
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-12-280 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.075A Max. Output: 27-42Vdc, 280mA, 11.8W, 59Vdc Max. Ta:45°C Tc:75°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-12-300 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.08A Max. Output: 27-40Vdc, 300A, 12W, 59Vdc Max. Ta:45°C Tc:75°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-15-350 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.095A Max. Output: 27-42Vdc, 350mA, 14.7W, 59Vdc Max. Ta:45°C Tc:80°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-21-400 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.11A Max. Output: 27-42Vdc, 400mA, 16.8W, 59Vdc Max. Ta:45°C Tc:85°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-21-450 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.12A Max. Output: 27-42Vdc, 450mA, 18.9W, 59Vdc Max. Ta:45°C Tc:85°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-21-500 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.13A Max. Output: 27-42Vdc, 500mA, 21W, 59Vdc Max. Ta:45°C Tc:85°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-21-550 LI1 EXC | Input: 220-240Vac, 50/60Hz , 0.14A Max. Output: 27-38.5Vdc, 550mA, 21.2W, 59Vdc Max. Ta:45°C Tc:85°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-60-1050 LI EXC | Input: 220-240Vac, 50/60Hz , 0.38A Max. Output: 34.5-58Vdc, 1050mA, 60.9W, 68Vdc Max. Ta:45°C Tc:90°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-60-1300 LI EXC | Input: 220-240Vac, 50/60Hz , 0.38A Max. Output: 15-42Vdc, 1300mA, 54.6W, 59Vdc Max. Ta:45°C Tc:90°C, IP20, Class II, Do Not Cover |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

| | | | | |
|-------------------------|------------------|-----------|-------------------|---|
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-60-1350 LI EXC | Input: 220-240Vac, 50/60Hz , 0.38A Max. Output: 15-42Vdc, 1350mA, 56.7W, 59Vdc Max. Ta:45°C Tc:90°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-60-1400 LI EXC | Input: 220-240Vac, 50/60Hz , 0.38A Max. Output: 15-42Vdc, 1400mA, 58.8W, 59Vdc Max. Ta:45°C Tc:90°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-60-1450 LI EXC | Input: 220-240Vac, 50/60Hz , 0.38A Max. Output: 15-40Vdc, 1450mA, 58W, 59Vdc Max. Ta:45°C Tc:90°C, IP20, Class II, Do Not Cover |
| Power Supply or Charger | LED Power Supply | EAGLERISE | LS-60-1500 LI EXC | Input: 220-240Vac, 50/60Hz , 0.38A Max. Output: 15-40Vdc, 1500mA, 60W, 59Vdc Max. Ta:45°C Tc:90°C, IP20, Class II, Do Not Cover |

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

2025/04/29 Initial Certification
Power supply for lighting purposes for use with class III LED lighting
Classified as do not cover

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Page 4 of 4

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

