



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2023011002573731

NAME AND ADDRESS OF THE APPLICANT

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

NAME AND LOCATION OF THE FACTORY

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

PRODUCT NAME,MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV,
Non-dimmable, ta:45/50/55°C, tc:65/75°C, Class II, IP20, Suitable For Direct Mounting On Normally
Flammable Material, Temperature Declared Thermally Protected: 110°C)
See Appendix;220-240V ~ 50/60Hz.

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 17743-2021;GB/T 19510.1-2023;GB/T 19510.213-2023

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Jul.03,2025 Valid until: Sep.20,2028

Date of original issued: Sep.21,2023

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002573731

Appendix: Page 1 of 3

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

序号	型号	输入			输出				ta (°C)	tc (°C)
		电压 (V~)	最大 电流 (A)	频率 (Hz)	额定 恒流 (mA)	工作电压 (Vdc)	最大 输出 电压 (Vdc)	额定 功率 (W)		
1.	LS-3-100 SI ECO	220-240	0.11	50/60	100	27-40	59	4	50	75
2.	LS-3-150 SI ECO	220-240	0.07	50/60	150	5-12	24	1.8	50	75
3.	LS-3-200 SI ECO	220-240	0.07	50/60	200	5-12	24	2.4	50	75
4.	LS-3-250 SI ECO	220-240	0.07	50/60	250	5-12	24	3	50	75
5.	LS-3-300 SI ECO	220-240	0.07	50/60	300	5-12	24	3.6	50	75
6.	LS-3-350 SI ECO	220-240	0.07	50/60	350	5-12	24	4.2	50	75
7.	LS-3-400 SI ECO	220-240	0.07	50/60	400	2.5-4.5	16	1.8	50	75
8.	LS-3-450 SI ECO	220-240	0.07	50/60	450	2.5-4.5	16	2.03	50	75
9.	LS-3-500 SI ECO	220-240	0.07	50/60	500	2.5-4.5	16	2.25	50	75
10.	LS-3-550 SI ECO	220-240	0.07	50/60	550	2.5-4.5	16	2.48	50	75
11.	LS-3-600 SI ECO	220-240	0.07	50/60	600	2.5-4.5	16	2.7	50	75
12.	LS-3-650 SI ECO	220-240	0.07	50/60	650	2.5-4.5	10	2.9	50	75

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2023011002573731

Appendix: Page 2 of 3

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

序号	型号	输入			输出				ta (°C)	tc (°C)
		电压 (V~)	最大 电流 (A)	频率 (Hz)	额定 恒流 (mA)	工作电压 (Vdc)	最大 输出 电压 (Vdc)	额定 功率 (W)		
13.	LS-3-700 SI ECO	220-240	0.07	50/60	700	2.5-4.5	10	3.15	50	75
14.	LS-3-100 SI E	220-240	0.11	50/60	100	27-40	59	4	50	75
15.	LS-3-150 SI E	220-240	0.07	50/60	150	5-12	24	1.8	50	75
16.	LS-3-200 SI E	220-240	0.07	50/60	200	5-12	24	2.4	50	75
17.	LS-3-250 SI E	220-240	0.07	50/60	250	5-12	24	3	50	75
18.	LS-3-300 SI E	220-240	0.07	50/60	300	5-12	24	3.6	50	75
19.	LS-3-350 SI E	220-240	0.07	50/60	350	5-12	24	4.2	50	75
20.	LS-3-400 SI E	220-240	0.07	50/60	400	2.5-4.5	16	1.8	50	75
21.	LS-3-450 SI E	220-240	0.07	50/60	450	2.5-4.5	16	2.03	50	75
22.	LS-3-500 SI E	220-240	0.07	50/60	500	2.5-4.5	16	2.25	50	75
23.	LS-3-550 SI E	220-240	0.07	50/60	550	2.5-4.5	16	2.48	50	75
24.	LS-3-600 SI E	220-240	0.07	50/60	600	2.5-4.5	16	2.7	50	75

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002573731

Appendix: Page 3 of 3

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

序号	型号	输入			输出				ta (°C)	tc (°C)
		电压 (V~)	最大 电流 (A)	频率 (Hz)	额定 恒流 (mA)	工作电压 (Vdc)	最大 输出 电压 (Vdc)	额定 功率 (W)		
25.	LS-3-650 SIE	220-240	0.07	50/60	650	2.5-4.5	10	2.9	50	75
26.	LS-3-700 SIE	220-240	0.07	50/60	700	2.5-4.5	10	3.15	50	75
27.	LS-3-1150 SIE	220-240	0.04	50/60	1150	2.5-3.2	10	3.68	45	65
28.	LS-8-85 SIE	220-240	0.046	50/60	85	27-40	59	3.4	45	75
29.	LS-8-75 LI EXC	220-240	0.03	50/60	75	27-38	59	2.85	55	75
30.	LS-8-90 LI EXC	220-240	0.03	50/60	90	27-38	59	3.42	55	75
备注：以上输入均为：220-240V~ 50/60Hz。										

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.