



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2025011002807632

NAME AND ADDRESS OF THE APPLICANT

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

NAME AND LOCATION OF THE FACTORY

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

PRODUCT NAME,MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear for LED Modules (LED Controlgear, Independent, Constant
Current Mode, SELV, Class II, IP20, ta:45°C, tc:75°C, Controlled Port Dimming, Suitable for Direct
Mounting on Normally Flammable Material Surfaces, Temperature Declared Thermally Protected:
110°C)
See Appendix, 220-240V~50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB/T 19510.1-2023;GB/T 19510.213-2023

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Sep.01,2025

Valid until: Aug.31,2030

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2025011002807632

Appendix: Page 1 of 2

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

序号	型号	输出			
		输出电流 (mA)	正常工作 电压 (Vdc)	Uout (Vdc)	最大功率 (W)
1	FLS-8-350 DALI-2 LD EXC	80	9-42	59	3.36
		100			4.2
		150			6.3
		180			7.56
		200	9-40		8
		250	9-32		8
		300	9-27		8.1
		350	9-24		8.4
2	FLS-12-500 DALI-2 LD EXC	150	9-42	59	6.3
		200			8
		250			10.5
		300	9-40		12
		350	9-34.3		12
		400	9-30		12
		450	9-26.7		12
		500	9-24		12
3	FLS-8-220 0-10 LA EXC	120	15-40	59	5
		150			6
		200	15-40		8
		220	15-36.4		8
4	FLS-12-330 0-10 LA EXC	250	15-42	59	10.5
		280			11.8
		300	15-40		12
		330	15-38		12.5

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.




CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2025011002807632

Appendix: Page 2 of 2

注：输入均为 220-240V~ 50/60Hz



This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.