

**Global-Mark Electrical Product Safety Certification Scheme** 

. Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. — This Certificate meets the requirements of NSW Recognised External Approval Scheme (REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS					
Company Name	<b>Eaglerise Electric</b>	& Electronic (Ji An) Co., Ltd	Other Name		
Address	West Zone, Ji an (	County Industrial Park, Ji an County	, Jiangxi Provinc	ce - China	
Client ID	110223	Global-Mark File Number:	110223-013		System 1 Approval
Certification and Authorized Mark Number	GMA-524685-EA			Revision Number	00
Certification Standard(s)	AS 61347.2.13;2018	8 & AS/NZS 61347.1:2016 Amd 1: 2018	8, Amd 2: 2025 La	mp Control Gear	- Part 2-13: Particular
	<b>Requirements For</b>	r D.C Or A.C Supplied Electronic Co	ntrol Gear For Le	ed Modules.	

Scheme

Certificate Issue Date 8/09/2025

Type of Certification **Electrical Safety Product** 

Certificate Last Update Date

Certification Expiry Date 8/09/2030

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



Certification Manager

fer Hoha







QUIPMENT			
Product Description	Trade Name	Model Number	Rating
LED power supply	EAGLERISE	VMS-50-48 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.4A
2			Output: 48Vdc, 1.04A,50W
LED power supply	EAGLERISE	VMS-50-42 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.4A
			Output: 42Vdc, 1.19A,50W
LED power supply	EAGLERISE	VMS-50-36 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.4A
			Output: 36Vdc, 1.39A,50W
LED power supply	EAGLERISE	VMS-50-24 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.4A
			Output: 24Vdc, 2.08A,50W
LED power supply	EAGLERISE	VMS-50-12 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.4A
			Output: 12Vdc, 4.17A,50W
LED power supply	EAGLERISE	VMS-75-48 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.5A
	19		Output: 48Vdc, 1.56A,75W
LED power supply	EAGLERISE	VMS-75-42 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.5A
100	EL CLERKE		Output: 42Vdc, 1.78A,75W
LED power supply	EAGLERISE	VMS-75-36 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.5A
TED 1	EACLEDIOE	THE ET ALIDEE LEVE	Output: 36Vdc, 2.08A,75W
LED power supply	EAGLERISE	VMS-75-24 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.5A
TED 1	FACIEDICE	VMC 75 12 IDC7 L EVC	Output: 24Vdc, 3.125A,75W
LED power supply	EAGLERISE	VMS-75-12 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.5A Output: 12Vdc, 6.25A,75W
LED power supply	EACI EDISE	VMS 100 48 IB67 L EVC	Input: 220-240Vac, 50/60Hz, 0.65A
LED power suppry	ENGLERISE	VM3-100-48 II 07 L EXC	Output: 48Vdc, 2.08A,100W
LED power supply	EACI EDISE	VMS 100 42 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.65A
LED power suppry	ENGLENGE	VIVID-100-12 II 07 L LAC	Output: 42Vdc, 2.38A,100W
LED power supply	EAGI ERISE	VMS-100-36 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.65A
=== ka or adbb-)		100 00 10. 2 210	Output: 36Vdc, 2.78A,100W
LED power supply	EAGLERISE	VMS-100-24 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.65A
Parity 24kb-)			Output: 24Vdc, 4.17A,100W
	Product Description  LED power supply	Product DescriptionTrade NameLED power supplyEAGLERISELED power supplyEAGLERISE	Product DescriptionTrade NameModel NumberLED power supplyEAGLERISEVMS-50-48 IP67 L EXCLED power supplyEAGLERISEVMS-50-42 IP67 L EXCLED power supplyEAGLERISEVMS-50-36 IP67 L EXCLED power supplyEAGLERISEVMS-50-24 IP67 L EXCLED power supplyEAGLERISEVMS-50-12 IP67 L EXCLED power supplyEAGLERISEVMS-75-48 IP67 L EXCLED power supplyEAGLERISEVMS-75-42 IP67 L EXCLED power supplyEAGLERISEVMS-75-36 IP67 L EXCLED power supplyEAGLERISEVMS-75-24 IP67 L EXCLED power supplyEAGLERISEVMS-75-12 IP67 L EXCLED power supplyEAGLERISEVMS-75-12 IP67 L EXCLED power supplyEAGLERISEVMS-100-48 IP67 L EXCLED power supplyEAGLERISEVMS-100-42 IP67 L EXCLED power supplyEAGLERISEVMS-100-42 IP67 L EXCLED power supplyEAGLERISEVMS-100-36 IP67 L EXC

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 

Here Hohe







Power Supply or Charger	LED power supply	EAGLERISE	VMS-100-12 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 0.65A
		1	7	Output: 12Vdc, 8.33A,100W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-150-48 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.1A
				Output: 48Vdc, 3.125A,150W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-150-42 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.1A
			ľ	Output: 42Vdc, 3.572A,150W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-150-36 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.1A
				Output: 36Vdc, 4.17A,150W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-150-24 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.1A
				Output: 24Vdc, 6.25A,150W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-150-12 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.1A
				Output: 12Vdc, 12.5A,150W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-200-48 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.4A
				Output: 48Vdc, 4.17A,200W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-200-42 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.4A
				Output: 42Vdc, 4.76A,200W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-200-36 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.4A
				Output: 36Vdc, 5.56A,200W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-200-24 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.4A
				Output: 24Vdc, 8.33A,200W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-200-12 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.4A
	V.			Output: 12Vdc, 15A,180W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-250-48 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.65A
				Output: 48Vdc, 5.2A,250W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-250-42 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.65A
				Output: 42Vdc, 5.95A,250W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-250-36 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.65A
			8	Output: 36Vdc, 6.94A,250W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-250-24 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.65A
				Output: 24Vdc,10.42A,250W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 









Power Supply or Charger	LED power supply	EAGLERISE	VMS-3	320-48 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.75A
			7		Output: 48Vdc,6.67A,320W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-3	320-42 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.75A
			7		Output: 42Vdc,7.62A,320W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-3	320-36 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.75A
		·			Output: 36Vdc,8.89A,320W
Power Supply or Charger	LED power supply	EAGLERISE	VMS-3	320-24 IP67 L EXC	Input: 220-240Vac, 50/60Hz, 1.75A
					Output: 24Vdc,13.3A,320W

RELEVANT TRADEMARK (S)

#### COMMENTS OR CONDITIONS ON THE CERTIFICATION

2025/09/08 Initial Certification

Power supply for lighting purposes for use with LED lighting Classified as NON IC. Not suitable for residential installation

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to <a href="https://www.jasanz.org/register">www.jasanz.org/register</a> for verification.



**Certification Manager** 

Hene Hoha



